


Curve Sketching Review 2

1) Consider the curve defined by the equation $y^3 + 3x^2y + 13 = 0$.

- a. Find $\frac{dy}{dx}$.
- b. Write an equation for the line tangent to the curve at $(2, -1)$.
- c. Find the minimum y -coordinate of any point on the curve. Justify your answer.



2) Consider the graph above as the $f'(x)$, the derivative of $f(x)$. The domain of the function $f(x)$ is the set of all x such that $-10 \leq x \leq 10$. The graph of $f'(x)$ has a zero slope when $x = -4, 2, 5$.

- a. For what values of x does the graph of f have a horizontal tangent?
- b. For what values of x in the interval $(-10, 10)$ does f have a relative maximum. Justify.
- c. For what values of x is the graph concave downward? Justify your answer.

3) Consider the curve given by $y^2 = 2 + xy$.

- a. Show that $\frac{dy}{dx} = \frac{y}{2y-x}$
- b. Find all the points (x, y) on the curve where the line tangent has slope $\frac{1}{2}$
- c. Show that there are no points (x, y) on the curve where the line tangent is horizontal.
- d. Let x and y be functions of time that are related by the equation $y^2 = 2 + xy$.

At time $t = 5$, the value of y is 3 and $\frac{dy}{dt} = 6$. Find the value of $\frac{dx}{dt}$ at time $t = 5$.

4) Let f be a function that is even and continuous on the closed interval $[-3, 3]$.

The function f and its derivatives have the properties indicated in the table below.

x	0	$0 < x < 1$	1	$1 < x < 2$	2	$2 < x < 3$
$f(x)$	1	POS	0	NEG	- 1	NEG
$f'(x)$	undefined	NEG	0	NEG	undefined	POS
$f''(x)$	undefined	POS	0	NEG	undefined	NEG

- a. Find the x -coordinate of each point at which f attains an absolute maximum value or an absolute minimum value. Justify your answers.
- b. Find the x -coordinate of each point of inflection on the graph of f . Justify your answers.
- c. Sketch the graph of a function with the given characteristics of f .

5) Let f be the function given by $f(x) = x^3 - 5x^2 + 3x + k$, where k is a constant.

- On what intervals is f increasing?
- On what intervals is f concave downward?
- Find the value of k for which f has 11 as its relative minimum.

6) Consider the curve defined by the equation $y + \cos y = x + 1$ for $0 \leq y \leq 2\pi$.


- Find $\frac{dy}{dx}$ in terms of y .
- Write an equation for each vertical tangent to the curve.
- Find $\frac{d^2y}{dx^2}$ in terms of y .

7) Consider the curve given by $x^2 + 4y^2 = 7 + 3xy$

- Show that $\frac{dy}{dx} = \frac{3y - 2x}{8y - 3x}$
- Show that there is a point on the curve P , where the x -coordinate is 3 at which the line tangent to the curve at point P is horizontal. Find the y -coordinate.
- Find the value of $\frac{d^2y}{dx^2}$ at point P (from part b). Does the curve have a local maximum, local minimum or neither at point P ? Why?

8) The figure below shows the graph of $f'(x)$, the derivative of $f(x)$. Using the domain for $f(x)$ is $-1 \leq x \leq 5$, where $f'(x)$ graph has a horizontal tangent at $x=1$, and $x=3$. Given $f(2) = 6$.

- Find the x -coordinate of each point of inflection of $f(x)$. Give a reason.
- Where does $f(x)$ have an absolute minimum? Where does $f(x)$ have an absolute maximum?
- If $g(x) = x \cdot f(x)$, find the equation of the line tangent to $g(x)$ at $x = 2$.



Curve Sketching Review #2

1)

A) $\frac{dy}{dx} = \frac{-6xy}{3y^2 + 3x^2} = \frac{-2xy}{y^2 + x^2}$

B) $y + 1 = \frac{4}{5}(x - 2)$

C) if $\frac{dy}{dx} = \frac{-6xy}{3y^2 + 3x^2} = \frac{-2xy}{y^2 + x^2} = 0$ then either $x = 0$ or $y = 0 \dots y \neq 0$, therefore $x=0$ in the original equation when $y = \sqrt[3]{-13}$

2)

A) $f(x)$ has a horizontal tangent when $x = -7, -1, 4, 8$

B) $f(x)$ has a relative maximum when $x = -1$ and 8 , because $f'(x)$ values change from positive to negative

C) $f(x)$ is concave down when the slopes of $f'(x) < 0$ $(-4, 2) \cup (5, 10)$

3)

$$2y \frac{dy}{dx} = x \frac{dy}{dx} + y$$

A) $(2y - x) \frac{dy}{dx} = y$

$$\frac{dy}{dx} = \frac{y}{(2y - x)}$$

B) when $\frac{dy}{dx} = \frac{y}{(2y - x)} = \frac{1}{2}$ when $x = 0$ and from the original equation $y = \pm\sqrt{2}$, so...answers are $(0, \sqrt{2})$ and $(0, -\sqrt{2})$

C) if the curve is horizontal, $\frac{dy}{dx} = \frac{y}{(2y - x)} = 0$ therefore $y = 0$. $y \neq 0$ from the original equation, therefore there are no

horizontal tangents

$$2y \frac{dy}{dt} = x \frac{dy}{dt} + y \frac{dx}{dt}$$

D) $2(3)(6) = \left(\frac{7}{3}\right)(6) + (3) \frac{dx}{dt}$

$$\frac{dx}{dt} = \left(\frac{22}{3}\right)$$

4)


A) EVEN FUNCTIONS SYMMETRIC OVER y-axis

ABSOLUTE MAX @ $x = 0$

ABSOLUTE MIN @ $x = -2, 2$

B) Point of inflection @ $(-1, 0)$ & $(1, 0)$

C)



5)

A) $\left(-\infty, \frac{1}{3}\right) \cup (3, \infty)$ $f'(x)$ values are positive

B) $\left(-\infty, \frac{5}{3}\right)$ $f''(x)$ values are negative

C) from Part A, relative min exists if and only if $x = 3$, therefore $f(3) = 11 = 3^3 - 5 \cdot 3^2 + 3 \cdot 3 + k; k = 20$

6)

A) $\frac{dy}{dx} = \frac{1}{1 - \sin y}$

B) vertical line has undefined slope, therefore, if $1 - \sin y = 0$, then $\frac{dy}{dx}$ is undefined. When $y = \frac{\pi}{2}$

The equation of the vertical line is $x = \frac{\pi}{2} - 1$

C) $\frac{d^2 y}{dx^2} = \frac{\cos y}{(1 - \sin y)^2} \frac{dy}{dx} = \frac{\cos y}{(1 - \sin y)^3}$

7)

A) True

B) find both in either order: $x = 3; x^2 + 4y^2 = 7 + 3xy; dy/dx = 0$. Point P (3,2) \rightarrow y-coordinate = 2.

C) because $dy/dx = 0$, there is a horizontal tangent line. Must use concavity (second derivative) to find if it's a max, min or neither at (3,2). (3,2) is a max.

8)

A) $x = 1, 3$ because the slopes of $f'(x)$ (i.e. $f''(x)$) changes signs.

B) Abs. min at $x = 4$; Abs. max at $x = -1$

C) $y - 12 = 4(x - 2)$